



REPLACEMENT SHEET




FIGURE 1

REPLACEMENT SHEET




FIGURE 2

REPLACEMENT SHEET




FIGURE 3



REPLACEMENT SHEET




FIGURE 4




FIGURE 5



REPLACEMENT SHEET




FIGURE 6



REPLACEMENT SHEET

dn: cn=managerrole, dc=dom, dc=ain
objectclass: top
objectclass: LDAPsubentry
objectclass: nsRole
objectclass: nsSimpleRole
objectclass: nsManagedRole
cn: managerrole
description: Manager Role within the Company

FIGURE 7



REPLACEMENT SHEET

dn: uid=pointyhair, ou=people, dc=dom, dc=ain
objectclass: top
objectclass: person
objectclass: inetorgperson
uid: pointyhair
gn: pointy
sn: hair
nsRoleDN: cn=managerrole, dc=dom, dc=ain
description: Pointy Haired Manager

FIGURE 8



REPLACEMENT SHEET

dn: cn=building12people, dc=dom, dc=ain
objectclass: top
objectclass: LDAPsubentry
objectclass: nsRole
objectclass: nsComplexRole
objectclass: nsFilteredRole
cn: building12people
nsRoleFilter: building=12
description: People who work in building 12

FIGURE 9



REPLACEMENT SHEET

dn: cn=megamanagerrole, dc=dom, dc=ain
objectclass: top
objectclass: LDAPsubentry
objectclass: nsRole
objectclass: nsComplexRole
objectclass: nsNestedRole
cn: megamanagerrole
nsRoleDN: cn=managerrole, dc=dom, dc=ain
nsRoleDN: cn=networkmanager, dc=dom, dc=ain
description: Super Manager Role within the Company

FIGURE 10



REPLACEMENT SHEET

dn: cn=peonrole, dc=dom, dc=ain
objectclass: top
objectclass: LDAPsubentry
objectclass: nsRole
objectclass: nsComplexRole
objectclass: nsEnumeratedRole
objectclass: groupofuniquenames
cn: peonrole
groupmember: uid=dboreham, ou=people, dc=dom, dc=ain
groupmember: uid=merrells, ou=people, dc=dom, dc=ain
groupmember: uid=claire, ou=people, dc=dom, dc=ain
description: Lowest of the Low Roles within the Company

FIGURE 11



REPLACEMENT SHEET




FIGURE 12



REPLACEMENT SHEET




FIGURE 13



REPLACEMENT SHEET




FIGURE 14



REPLACEMENT SHEET




FIGURE 15



REPLACEMENT SHEET




FIGURE 16

REPLACEMENT SHEET



REPLACEMENT SHEET

Dn: cn=messaging_server_cos, ou=people, o=acme
objectclass: top
objectclass: LDAPSubentry
objectclass: cosSuperDefinition
objectclass: cosClassicDefinition
cosTemplate

Dn: cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot
cosSpecifier: mailServiceClass
cosAttribute: mailboxquota
cosAttribute: maysendexternalmail

FIGURE 18



REPLACEMENT SHEET

dn: cn=user, cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot
 objectclass: top
 objectclass: mailserveruser
 objectclass: cosTemplate
 mailboxquota: 10000000
 maysendexternalmail: TRUE
dn: cn=guest, cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot
 objectclass: top
 objectclass: mailserveruser
 objectclass: cosTemplate
 mailboxquota: 1000000
 maysendexternalmail: FALSE

FIGURE 19



REPLACEMENT SHEET




FIGURE 20



REPLACEMENT SHEET




FIGURE 21



REPLACEMENT SHEET

dn: cn=messaging_server_cos, ou=people, o=acme
objectclass: top
objectclass: LDAPSubentry
objectclass: cosSuperDefinition
objectclass: cosPointerDefinition
cosTemplateDn: ou=people, o=acme
cosAttribute: facsimilieTelephoneNumber default

FIGURE 22

REPLACEMENT SHEET




FIGURE 23



REPLACEMENT SHEET

dn: cn=messaging_server_cos, ou=people, o=acme
objectclass: top
objectclass: LDAPSubentry
objectclass: cosSuperDefinition
objectclass: cosIndirectDefinition
cosIndirectSpecifier: manager
cosAttribute: accountingCode

FIGURE 24